

Meet CellPod

An architectural room system



SENATOR

Powered by Privacy

Isolation isn't about being alone but about having the personal acoustic and visual privacy to get your task done.

We've all embraced hybrid working and the transition to online meetings for offsite co-workers, as well as, clients, suppliers.

CellPod offers exceptional acoustic privacy empowering users to talk more freely in the comfort that they won't be heard but also that they won't disrupt their co-workers.



Your Possibilities are Endless


Phone Calls

Video Conference

Solo work

Training

Collaborative Teams




Telephone Pod
One person




Study Pod
One person



Standard Focus Pod - V2-03
Suitable for two people




Large Focus Pod - Active Roof - V2-04
Suitable for two people



Small Meeting Room
Suitable for four people



Six Person Rectangular Pod
Suitable for six people



Eight Person Square Pod
Suitable for eight people



Twelve Person Pod
Suitable for 12 people

Meet CellPod:

- CellPod incorporating an Active Roof System, integrated dry wipe panels and a frameless glass panel corner detail.
- CellPod provides a great solution for a team collaboration and meeting space and can be situated immediately adjacent to other workspaces.



Meet CellPod:

- The addition of the Portico on the outside wall of a CellPod helps define the space creating an additional collaboration space.
- CellPod incorporating a media screen allowing users to share content and collaborate. Integrated dry wipe panels a frameless glass panel corner detail.



Meet CellPod:

CellPod can be configured to create large stand alone conference rooms with integrated media displays and dry wipe panels providing both formal and informal spaces for up to 12 people.



Architectural Features:



Intuitive Design

CellPod at it's core is made by from extruded Aluminium channels that allow for endless options of colours, finishes, and specifications.




Custom to you

The interior design can specified to your requirements from drywipe, pinable or AV for conferencing.



Form and function

The 10.8mm acoustic grade laminated glass sit in the aluminium frame to create a frameless glass panel corner detail.



Frameless Ecophon System



Utilise CellPod's exterior to maximise the possibilities in your workspace with a Portico.

Our Active Ceiling System

Our patented (No.GB1718165.2) Active Ceiling System can be specified which complies with many international building safety codes in eliminating the need for fire suppression systems to be integrated directly into the roof of the Pod.




One Person Pod

Escape the office and find a room of solitude for a quick call or the need to focus on writing that important email.




Telephone Pod
CELLV2-01

Width: 1140mm
Depth: 1140mm
Height: 2260mm



Study Pod
CELLV2-02

Width: 1450mm
Depth: 1410mm
Height: 2260mm



Large Focus Pod - Active Roof

Our two person Pods have the flexibility to easily accommodate two or act as an individual hybrid Pod for nomadic workers.

Available with Fixed or Active Roof.

Fixed Roof
CELLV2-04

Active Roof
CELLV2-04AR

Dimensions:
Width: 2450mm
Depth: 1410mm
Height: 2260mm (Closed)
Height: 2540mm (Open)

*For full specifications
go to pg. 20 onwards*






Image shows Active Roof - CELLV2-04AR




Example One:




Example Two:



Example Three:



Example Four:



Small Meeting Room

These Pods offer a more practical and multi-use solution for four people to accommodate an array of furniture to easily tailor this Pod to your needs.

This Pod can easily be equipped with video conferencing technology – so you can stay in touch with your entire team wherever they are.

Available with Fixed or Active Roof.

Fixed Roof
CELLV2-05

Active Roof
CELLV2-05AR

Dimensions:


Width: 3050mm
Depth: 2850mm
Height: 2260mm (Closed)
Height: 2540mm (Open)

*For full specifications
go to pg. 20 onwards*




Image shows Active Roof - CELLV2-05AR


Example One:




Example Two:



Example Three:



Example Four:



Six Person Rectangular Pod

Designed for up to six people, this meeting room is the ideal place to co-create, brainstorm and meet together – without disturbing the office.

This Pod can easily be equipped with video conferencing technology – so you can stay in touch with your entire team wherever they are.

Fixed Roof
CELLV2-06

Active Roof
CELLV2-06AR

Dimensions:

Width: 4250mm
Depth: 2850mm
Height: 2260mm (Closed)
Height: 2540mm (Open)

*For full specifications
go to pg. 20 onwards*






Image shows Active Roof - CELLV2-06AR

Example One:



Example Two:



Eight Person Square Pod

This square Pod is designed for upto eight people, the ideal place to co-create, brainstorm and meet together – without disturbing the office.

This Pod can easily be equipped with video conferencing technology – so you can stay in touch with your entire team wherever they are.

Fixed Roof
CELLV2-07

Active Roof
CELLV2-07AR

Dimensions:


Width: 4250mm
Depth: 4250mm
Height: 2260mm (Closed)
Height: 2540mm (Open)

*For full specifications
go to pg. 20 onwards*




Image shows Active Roof - CELLV2-07AR


Example One:



Example Two:



Example Three:



Twelve Person Pod

Your office within an office, this extra large twelve person Pod allows users to instantly add create spaces that are private and most importantly quiet.

Comfortably accommodating up to twelve people this Pod acts as an elegant boardroom to a luxurious escape from the day to day.

Every Pod can easily be equipped with video conferencing technology – so you can stay in touch with your entire team wherever they are.

Fixed Roof
CELLV2-08

Dimensions:


Width: 4250mm
Depth: 2850mm
Height: 2260mm (Closed)
Height: 2540mm (Open)

*For full specifications
go to pg. 20 onwards*




Image shows Fixed Roof - CELLV2-08

Example One:



Example Two:



Why acoustics matter

As the design of the workplace has moved to a more open landscape and the hybrid workstyles CellPod has the power to blend on-site with off-site users in acoustic privacy.

CellPods offer the ideal solution for a quick call, focused work, or a productive meeting. CellPod is a favourable solution to the traditional huddle and conference with configurations to suit every possible requirement.

This is important as visual and acoustic noise are key factors the way we all work.

99%

Of employees claim their level of focus decreases drastically due to office noises.

SP Banbury, DC Berry (2005).
U.S. National Library of Medicine

Testing, testing, testing, 1, 2, 3...

CellPod uses the latest innovations to achieve exceptional acoustics that are well above industry standard.

For example: When inside CellPod the perceived ambient noise omitted is reduced by over 90%.

These test results are according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.


-35 (db)

Measured in deciBels (db).
Typical sound absorption values are:
10.8mm acoustic laminated glass 35(db)
Fabric panel (with barrier) 35(db).

A Breath of Fresh Air

CellPods are stand-alone units and do not need integrating into a building's M&E infrastructure. As standard all pods are provided with an air handling system that refreshes the air within the pod maintaining a healthy environment with the air being drawn and returned to the wider building environment...

Each pod is specified with fans capable of changing the air internally to comply with regional standards at a minimum rate of 40Yds³ per hour per person.



The flexibility to reconfigure

CellPod can be designed to create your perfect space, fully compliant with all workplace regulations and tailored to suit your needs. And just as business adapt and change, so too can CellPod.

Due to CellPods panel construction and modular design it can easily accommodate and reflect the needs of your business and people.

Reconfigurable: Like every business, things change. The modularity of CellPod enables it to be easily moved or reconfigured on demand.



Easy Installation:

The smallest Pod takes two people and two hours to install.



Plug and Play:

All Pods come with the ability to be used on the day of delivery and can easily be tailored to suit your AV and power requirements.

In detail



Telephone Pod
One person



Dimension:
Width: 1140mm
Depth: 1140mm
Height: 2260mm

Product Code:
CELLV2-01

Airflow:
1no. Airflow Envirovent Silent
MV 160/100 50 l/s

Lighting:
— 1no. LED Downlight Natural White 4000k
— PIR controlled LED Lighting & Airflow
— up to 30 minute timer

AV capabilities:
Single Tier worksurface 41" AFF w/ Twin
Power Outlet 1x Twin USB A+C 30w 47.5"

Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic, toughened to
BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Fixed Roof Only. Ecophon acoustic tile
with inset LED lighting and ventilation fans.
Tested to EN ISO354.

Study Pod
One person



Dimension:
Width: 1450mm
Depth: 1410mm
Height: 2260mm

Product Code:
CELLV2-02

Airflow:
1no. Airflow Envirovent Silent
MV 160/100 50 l/s

Lighting:
— 2no. LED Downlight Natural White 4000k
— PIR controlled LED Lighting & Airflow
— up to 30 minute timer


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic, toughened to
BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Fixed Roof Only. Ecophon acoustic tile
with inset LED lighting and ventilation fans.
Tested to EN ISO354.

Small Focus Pod - Fixed Roof
Suitable for two people



Dimension:
Width: 2450mm
Depth: 1410mm
Height: 2260mm

Product Code:
CELLV2-03

Airflow:
1no. Airflow Envirovent Silent
MV 160/100 50 l/s

Lighting:
— 1no. LED Luminaire Panel 600×600
daylight 4000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
losing latch non-lockable

Ceiling:
Ecophon acoustic tile with inset LED lighting
and ventilation fans. Tested to EN ISO354.

**Large Focus Pod
- Fixed Roof**
Suitable for two people



Dimension:
Width: 2450mm
Depth: 1810mm
Height: 2260mm



Product Code:
CELLV2-04

Airflow:
1no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 1no. LED Luminaire Panel 600×600
daylight 4000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
losing latch non-lockable

Ceiling:
Fixed Roof Only. Ecophon acoustic tile
with inset LED lighting and ventilation fans.
Tested to EN ISO354.

Small Meeting Room
Suitable for four people



Dimension:
Width: 3050mm
Depth: 2850mm
Height: 2260mm

Product Code:
CELLV2-05

Airflow:
1no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 1no. LED Luminaire Panel 600×600
Daylight 6000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Fixed Roof Only. Ecophon acoustic tile
with inset LED lighting and ventilation fans.
Tested to EN ISO354.

Medium Meeting Room
Suitable for six people



Dimension:
Width: 4250mm
Depth: 2850mm
Height: 2260mm

Product Code:
CELLV2-06

Airflow:
2no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 1no. LED Luminaire Panel 600×600
Daylight 6000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Fixed Roof Only. Ecophon acoustic tile
with inset LED lighting and ventilation fans.
Tested to EN ISO354.

Large Meeting Room
Suitable for eight people



Dimension:
Width: 4250mm
Depth: 4250mm
Height: 2260mm

Product Code:
CELLV2-07

Airflow:
1no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 4no. LED luminaire panel 1200x300
daylight 6000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Ecophon acoustic tile with inset LED lighting
and ventilation fans. Tested to
EN ISO354.

Large Meeting Office
Suitable for 12 people



Dimension:
Width: 6050mm
Depth: 4250mm
Height: 2260mm

Product Code:
CELLV2-08

Airflow:
6no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 6no. LED luminaire panel 600x600
daylight 6000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Ecophon acoustic tile with inset LED lighting
and ventilation fans. Tested to
EN ISO354.

Large Focus Pod - Active Roof
Suitable for two people



Dimension:
Width: 2450mm
Depth: 1410mm
Height: 2260mm (Closed)
Height: 2540mm (Open)



Product Code:
CELLV2-04AR

Airflow:
1no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 1no. LED luminaire panel 1200x300
daylight 6000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Active Ceiling System, our patented roof sys-
tem (No.GB1718165.2).

Small Meeting Room - Active Roof
Suitable for four people



Dimension:
Width: 3050mm
Depth: 2850mm
Height: 2260mm (Closed)
Height: 2540mm (Open)

Product Code:
CELLV2-05AR

Airflow:
1no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 1no. LED luminaire panel 1200x300'
daylight 6000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Active Ceiling System, our patented roof
system (No.GB1718165.2).

Medium Meeting Room - Active Roof
Suitable for six people



Dimension:
Width: 4250mm
Depth: 2850mm
Height: 2260mm (Closed)
Height: 2540mm (Open)

Product Code:
CELLV2-06AR

Airflow:
2no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 2no. LED luminaire panel 1200x300
daylight 6000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet


Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150

Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Active Ceiling System, our patented roof
system (No.GB1718165.2).

Large Meeting Room - Active Roof
Suitable for eight people



Dimension:
Width: 4250mm
Depth: 4250mm
Height: 2260mm (Closed)
Height: 2540mm (Open)

Product Code:
CELLV2-07AR

Airflow:
4no. Airflow Envirovent Silent
MV 350/125 96 l/s

Lighting:
— 4no. LED luminaire panel 1200x300
day light 6000k
— PIR controlled LED Lighting & Airflow
– up to 30 minute timer

AV capabilities:
Optional TV Mount to suit 42”- 70” c/w
Twin Power Outlet & Grommet

Interior Walls:
Full fabric wall panels as standard

Glass Panels:
10.8mm Laminated Acoustic (Dry Jointed
Glass when more than one pane of glass)
toughened to BS EN12150


Pivot Door:
10.8mm Laminated Acoustic w/ magnetic
closing latch non-lockable

Ceiling:
Active Ceiling System, our patented roof
system (No.GB1718165.2).


A world of colour




Paint Finishes



Black



White




Ocean Blue
RAL 5020



Dark Green
RAL 6020




Silk Grey
RAL 7044




Putty
RAL 7006

Other RAL colours available upon request.


MFC / Laminates



Whiteboard



White



Black



Urban Maple



Natural Casella Oak




Dark Rockford Hickory


Other MFC's / Laminates available upon request.

Fabrics

All colours from the Camira Blazer Collection are available on CellPod. Only a small selection is shown.



Camira
Blazer Silverdale



Camira
Blazer Surrey



Camira
Blazer Silcoates



Camira
Blazer Stonebridge



Camira
Blazer Dartmouth



Camira
Blazer Fairfield



Camira
Blazer Padworth




Camira
Blazer Ackworth




Camira
Blazer Warwick



Camira
Blazer Ullswater



Camira
Blazer Moray




Camira
Blazer Ambleside



Camira
Blazer Chichester



Camira
Blazer Eynesbury



Camira
Blazer Plymouth



Camira
Blazer Knightsbridge

Where to find us:

Global Headquarters

Altham Business Park
Accrington, Lancashire
BB5 5YE
United Kingdom

London

Back Hill
Farringdon
London EC1R 5EN
United Kingdom

Birmingham

Sovereign Hall
Frederick Street
Birmingham B1 3HE
United Kingdom

Corporate Headquarters

4111 N. Jerome Road
Maumee, OH
43537
United States

New York

3 East 28th St, 9th Floor
New York, NY
10016
United States

Chicago

222 Merchandise Mart Plaza
Floor 11, Suite 1112
Chicago, IL
60654
United States

Hong Kong

Suites 2508-2509
K11 Aterlier
728 King’s Road
Quarry Bay
Hong Kong

Bengaluru

No. 295 & 296, 3rd Floor
100 Feet Road
Indiranagar
Bengaluru 560038
India

Dubai

Dubai Marina Plaza
Floor 22
Suite 2203
P.O. Box 116888
Dubai